



# SPIRAL

品牌標志組合一

VOXFLO®



"We are not going in circles, we are going upwards. The path is a spiral; we have already climbed many steps."

- Hermann Hesse





# EARTH

“When you’re stuck in a spiral, to change all aspects of the spin  
you need only to change one thing.”

-Christina Baldwin







SPACE

“A circle is the reflection of eternity. It has no beginning and it has no end - and if you put several circles over each other, then you get a spiral.”

- Maynard James Keenan







# ANDROMEDA

“Growth is a spiral process, doubling back on itself, reassessing and regrouping.”

- Julia Margaret Cameron

Spiral Plus 75006  
Spiral 75004 75005 75006








# AFTERGLOW


“The growth of understanding follows an ascending spiral rather than a straight line.”

- Marion Milner



Spiral Plus 75005  
Spiral 75004  
75005 75006






# CONNECTION

“life begins where fear ends.”



Spiral Plus 75004  
Spiral 75004  
75005 75006





# WAVE


“Energy moves in cycles, circles, spirals, vortexes, whirls, pulsations, waves, and rhythms—rarely if ever in simple straight lines.”

- Starhawk







# DISPLACEMENT METHOD



spiral 75004  
 spiral 75006  
 spiral plus 75006




spiral 75005  
 spiral 75006  
 spiral plus 75005



spiral 75004  
 spiral 75006  
 spiral plus 75004



spiral 75001  
 spiral 75002  
 spiral 75003  
 spiral plus 75003



spiral 75004  
 spiral 75005  
 spiral 75006

# COLORS



SPIRAL 75001



SPIRAL 75002



SPIRAL 75003



SPIRAL 75004



SPIRAL 75005



SPIRAL 75006



SPIRAL PLUS 75001



SPIRAL PLUS 75002



SPIRAL PLUS 75003



SPIRAL PLUS 75004



SPIRAL PLUS 75005



SPIRAL PLUS 75006

# SPECIFICATION

Style Name:	Spiral   Spiral Plus
Construction:	Multi-level Loop
Fiber:	Voxflor Certified Nylon
Gauge:	1/12"
Stitches:	12 per inch
Average Pile Height:	4.0m ± 0.5mm
Backing:	EcoAce-Bac®
Tile size:	25cm*100cm
Area of Use:	Commercial - General Duty- Heavy Duty
Antimicrobial:	Ultra-Fresh Treatment (Available)
Flammability:	ASTM E 648 Class I, GB8624-2012 B1 (C)
Smoke Density:	ASTM E 662 Less than 450, GB/T 8627-1999
Static Propensity:	AATCC-134 ≤3.5kV, GB/T 18044-2008



Ultra-Fresh is a registered trademark of Thomson Research Associates, Inc.









*your color story*

## **VOXFLOR**

[www.voxflor.com](http://www.voxflor.com)

Shanghai Headquarters

T +86 021 62989325

Milano Creative Studio

T +39 3885863150

Santiago LATAM Office

T +56 9 9824 1739

China Branch Office

Beijing/ Guangzhou/ Shenzhen/ Xiamen

T 400 021 0790

